

CERTIFICATE OF ANALYSIS no: P-117680

Date of issue: 31/10/2024

CUSTOMER: ELAIKOS-VATKALI EFROSINI

PHONE : 25940-21046 P

MULTICHROM.LAB CODE No : P-117680

Date of analysis (from): 30/10/2024

COMMODITY ACCORDING TO

(to): 31/10/2024

CUSTOMER: EXTRA VIRGIN OLIVE OIL

RECEIVING DATE: 30/10/2024

SAMPLE CONDITION: NORMAL

SEALS: None

SAMPLING BY: CUSTOMER

DATA: MEGARITIKI

RESULTS

Determination	Method	Unit	Result	Limit ¹
Free fatty acid content (as oleic acid)	COI/T.20/DOC. 34/Rev. 1 – 2017	%	0,11	≤ 0,80
K Coefficients	COI/T.20/DOC.19/Re v.5/2019	-	-	-
K268		-	0,123	≤ 0,22
K232		-	1,533	≤ 2,50
DK		-	-0,004	≤ 0,01
Peroxide Value	COI/T.20/DOC.35/Re v.1/2017	meqO ₂ /kg	3,3	≤20,0
Biophenols (as tyrosol)	COI/T.20/Doc. No 29/ Rev 1 2017 ^a	mg/kg	283	-
Hydroxytyrosol (3,4 DHPEA)			1	-
Tyrosol (p-HPEA)			2	-
Dialdehydic form of Decarboxymethyl Oleuropein aglicon (3,4 DHPEA-EDA or oleacin)			28	-
Dialdehydic form of Decarboxymethyl ligstroside aglicon (p, HPEA-EDA or oleocanthal)			34	-
Lignans			51	-
Oleuropein aglycon (dialdehyde, oxidized and not aldehyde & hydroxylic forms)			70	-
Ligstroside aglycon (dialdehyde, oxidized and not aldehyde & hydroxylic forms)			12	-
Hydroxytyrosol ant its derivatives for health claim Regulation EU 432/2012		mg/20g	3,0	≥ 5

^a Method outside the scope of accreditation.

The above results concern only the sample we examined.

Partial reproduction is prohibited without the written permission of multichrom.lab.

n.d. - not detected.

¹Limits according to: EU 2104/2022 as in force today, EU 432/2012 as in force today,



CERTIFICATE OF ANALYSIS no: P-117680

Date of issue: 31/10/2024

CUSTOMER: ELAIKOS-VATKALI EFROSINI

PHONE : 25940-21046 P

MULTICHROM.LAB CODE No : P-117680

Date of analysis (from): 30/10/2024

COMMODITY ACCORDING TO

(to): 31/10/2024

CUSTOMER: EXTRA VIRGIN OLIVE OIL

RECEIVING DATE: 30/10/2024

SAMPLE CONDITION: NORMAL

SEALS: None

SAMPLING BY: CUSTOMER

DATA: MEGARITIKI


Dimitrios Salivaras
Laboratory Supervisor


Emmanuel Salivaras, M.Sc.
Laboratory General Manager

^a Method outside the scope of accreditation.

The above results concern only the sample we examined.

Partial reproduction is prohibited without the written permission of multichrom.lab.

n.d. - not detected.

¹Limits according to: EU 2104/2022 as in force today, EU 432/2012 as in force today,



Tests
certification no.632-5